

Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Казахстан (7273)495-231

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Таджикистан (992)427-82-92-69

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: cdd@nt-rt.ru || <https://cmd.nt-rt.ru/>

Фланцевый эксцентриковый поворотный затвор




Introduction:

Flange eccentric butterfly valve is designed with three eccentric or double eccentric configuration. It has hermetic capability reliably which ensure disc never touch with sealing seat when it works. This solve the problem of hermetical seat burden unequally, prolong service life and ensure reliable hermetic capability with advantage of high temperature resistant, wearable and anti-corrosive.

Features:

1. With eccentric structure, the body sealing faces are elastic metal rings and multi-layer sealing face to make the disc
2. Sealing : metal to metal or soft sealing.
3. Designing standard : API 609, JIS B2064, EN593, GB/T12238
4. Flange standard: ANSI B16.5, JIS B2212, EN1092.1, GB/T 9113.1
5. Face to face according to ANSI B16.10, JIS B2002, EN558.1, GB/T12221

Material List:



Part Name	Material
Body	WCB, WC6, WC9, CF8, CF8M, CF3, CF3M, C95800, 904L
Disc	WCB, WC6, WC9, CF8, CF8M, CF3, CF3M, C95800, 904L
Seal ring	SS+Graphite, PTFE, RPTFE, EPDM, NBR
Stem	2Cr13, F304, F316, F304L, F316L, 17-4PH, UNS N05500, C6300
Pakcing	FLEXIBLE GRAPHITE

Dimension List:

Dimensions, PN10, PN16, PN25, JIS 10K, JIS 20K												
DN(mm)	50	65	80	100	125	150	200	250	300	350	400	450
L(Short)	108	112	114	127	140	140	152	165	178	190	216	222
L(Long)	150	170	180	190	200	210	230	250	270	290	310	330

Dimensions, PN10, PN16, PN25, JIS 10K, JIS 20K											
DN(mm)	500	600	700	800	900	1000	1200	1400	1600	1800	2000
L(Short)	229	267	292	318	330	410	470	530	600	670	760
L(Long)	350	390	430	470	510	550	630	710	790	870	950

Dimensions, PN40													
DN(mm)	50	65	80	100	125	150	200	250	300	350	400	450	500
L(Short)	108	112	114	127	140	140	152	165	178	190	216	222	229
L(Long)	150	170	180	190	200	210	230	250	270	290	310	330	350

Dimensions, PN63											
DN(mm)	50	65	80	100	125	150	200	250	300	350	400
L	150	170	180	190	200	210	230	280	270	290	310

Dimensions, Class 150, Class 300									
DN(mm)	50	65	80	100	125	150	200	250	300
L	108	112	114	127	140	140	152	165	178

Dimensions, Class 150, Class 300									
DN(mm)	350	400	450	500	600	700	800	900	1000
L	190	216	222	229	267	292	319	330	410

Dimensions, Class 600									
DN(mm)	50	65	80	100	125	150	200	250	300
L	150	170	180	190	200	210	230	270	270

Dimensions, Class 600									
DN(mm)	350	400	450	500	600	700	800	900	1000
L	290	310	330	350	390	430	470	510	550

Main Technical Parameter:

Nominal diameter	DN	50-2000						
Nominal pressure	PN/CLASS	0.6	1.0	1.6	2.5	4.0	150LB	300LB
Test pressure	Shell test	0.9	1.5	2.4	3.75	6.0	3.0	5.0
	Seal test	0.66	1.1	1.76	2.75	4.4	2.2	7.5
	Air test	0.6						
Applicable medium	water,steam,oil products,corrosive acid,etc.							
Applicable temperature	-29~650℃							
Operator	lever, handle, worm gear, electric, pneumatic, hydraulic							

Applications:

Foodstuff, pharmacy, petrochemical industry and power plant.

По вопросам продажи и поддержки обращайтесь:

Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Нижний Новгород (831)429-08-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Казахстан (7273)495-231

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Таджикистан (992)427-82-92-69

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: cdd@nt-rt.ru || <https://cmd.nt-rt.ru/>