

Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Казахстан (7273)495-231

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Таджикистан (992)427-82-92-69

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: cdd@nt-rt.ru || <https://cmd.nt-rt.ru/>

Шаровой кран с цапфой V-образного типа




Introduction:

V segment ball Valve in under full vertical angle rotary control, so its maximum volume is especially large and flow capacity is very big. V ball valve is designed with duplex bearing, so its mechanical stability is very high and the starting torque is small. Valve adopts metal hard seal structure. In the process of sealing, V shaped notch of v-shaped ball valve and valve seat produce a shear force, which can cut off fiber and other sundries, avoid the phenomenon of valve stuck, and have self-cleaning function.

Features:

- V segment port
- End : flange or wafer
- Metal seated or PTFE soft sealing
- Material: S216 WCB, A351 CF8, CF8M
- Size: 1" to 25"(DN25 to DN500)
- Pressure rating: Class 150 to Class 300, PN10 to PN64
- Operated by: electric actuator, pneumatic(single action, double action), worm gear, manual lever

Material List:



No.	Part Name	Material	No.	Part Name	Material
1	Body	WCB,CF8,CF8M	12	Bearing	304,316+PTFE
2	Ball	CF8,CF8M+hard chromium	13	Packing	PTFE
3	Bottom Stem	17-4PH, SS316	14	Gland	CF8
4	Pin	SS304,SS316	15	O ring	Viton
5	Stem	17-4PH, SS316	16	Seat	PTFE,SS304,S3S316+HCr
6	Spline	17-4PH, SS316	17	Spring	SS316
7	Flat Key	SS304,SS316	18	Sealing Cap	SS304,SS316
8	Gland	CF8,CF8M	19	Screw	SS304
9	O ring	Viton	20	Bolt	SS304
10	Adjusting pad	PTFE	21	Bolt	SS304
11	Bearing	304,316+PTFE	22	Nut	SS304

Dimension List:

Dimensions PN10,PN16, PN25, PN40												
NPS(inch)	1	1-1/2"	2	2-1/2	3	4	5	6	8	10	12	16
DN(mm)	25	40	50	65	80	100	125	150	200	250	300	400
F-F(Flange)	102	114	124	145	165	194	210	229	243	297	338	400
F-F(Wafer)	62	62	75	90	100	115	129	160	200	240	334	\

Dimensions PN64

NPS(inch)	1	1-1/2"	2	2-1/2	3	4	5	6	8	10	12
DN(mm)	25	40	50	65	80	100	125	150	200	250	300
F-F(Flange)	102	114	124	145	165	194	210	229	243	297	338
F-F(Wafer)	62	62	75	90	100	115	129	160	200	240	334

Dimensions 150LB, 300LB

NPS(inch)	1	1-1/2"	2	2-1/2	3	4	5	6	8	10	12	16
DN(mm)	25	40	50	65	80	100	125	150	200	250	300	400
F-F(Flange)	102	114	124	145	165	194	210	229	243	297	338	400
F-F(Wafer)	62	62	75	90	100	115	129	160	200	240	334	\

Applications:

V port control ball valve is especially suitable for the automatic adjustment of the suspended particles such as pulp, white water, black liquid and white liquid in the process of pulping and papermaking, as well as the thick and turbid liquid medium.

По вопросам продажи и поддержки обращайтесь:

Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Казахстан (7273)495-231

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Таджикистан (992)427-82-92-69

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: cdd@nt-rt.ru || <https://cmd.nt-rt.ru/>